



We Always
Strive
for the **Better**



www.drpack.com.tr

Bubble Wrap Products
Production And Marketing

INDEX

Plastic Packaging Products

Production And Marketing

Standard Bubble Wrap Film	01
ECO Green Recycled Bubble Wrap Film	02
Colored Bubble Wrap Film	03
Aluminum Laminated Bubble Wrap Film	04
PE Foam Laminated Bubble Wrap Film	05
Kraft Paper Laminated Bubble Wrap Film	06
UV Stabilized Bubble Wrap Film	07
Printed Bubble Wrap Film	08
Antistatic Bubble Wrap Film	09
Fire Classes B1 or B2 Bubble Wrap Film	10
Self-adhesive Bubble Wrap	11
Swimming Pool Liner	12
Non Woven Bubble Wrap Film	13
Polyethylene Foam Sheet	14
Bubble Wrap Products	15
Rolls	16
Bags (Mailing Bags)	17
Box Hoods	18
Furniture Covers	19
Short Rolls	20
Cutting Assembly	21
Thermal Hoods	22





Bubble wrap is the ideal material for packaging, filling, cushioning, fixing, intermediate layers, surface protection, plant protection and much more.

Get to know our individual film types suitable for every area of application here.

www.drpack.com.tr



We Always
Strive
for the **Better**

STANDART BUBBLE WRAP FILM



FULL PROTECTION



TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters


Bubble wrap is the ideal material for packaging and can be found in almost all areas of application: filling, cushioning, fixing, intermediate layer, surface protection, plant protection, etc.



FULL PROTECTION



for safely
transport...



ECO GREEN BUBBLE WRAP FILM

Ideal for companies that value sustainability. The film is made from polyethylene (PE). At least half of the raw material used comes from recycled material.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 μ m to 300 μ m	Between 100 μ m to 350 μ m
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters



www.drpack.com.tr

We Always
Strive
for the Better

COLORED BUBBLE WRAP FILM



FULL PROTECTION


TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters

By adding colored additives, our film can be produced in almost any color. The colored bubble wraps are mainly used for product labeling or advertising purposes and are an excellent addition to our product range.



FULL PROTECTION



ALUMINUM LAMINATED BUBBLE WRAP FILM

The aluminum-laminated bubble film (P-Alu) is a very special film that offers special additional protection in addition to the well-known properties of the padding. It is therefore very suitable for insulation.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 μ m to 300 μ m	Between 100 μ m to 350 μ m
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters



www.drpack.com.tr

We Always
Strive
for the Better

PE FOAM LAMINATED BUBBLE WRAP FILM



FULL PROTECTION



TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters


The PE foam laminated bubble wraps from the Sunset range serve as unique cushion and surface protection. They offer ideal all-round protection for various products. The combination offers significant advantages over standard bubble wrap: greater puncture resistance; increased tear resistance; velvety-soft surface protection.



FULL PROTECTION



for safely
transport...



KRAFT PAPER LAMINATED BUBBLE WRAP FILM

TECHNICAL DETAILS

Kraft paper laminated bubble wrap, used in numerous industrial sectors, offers excellent resistance and cushioning properties. It offers the ideal protective cover for furniture and can be easily labeled yourself for product identification.

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 μ m to 300 μ m	Between 100 μ m to 350 μ m
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters
Kraft paper lamination Weight of paper: 60 g/m ²		
Weight of PE coating: 15g/m ²		
Please take contact with our sales team for the color of the paper.		



www.drpack.com.tr

We Always
Strive
for the Better

UV STABILIZED BUBBLE WRAP FILM



FULL PROTECTION



TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters

UV-stabilized bubble wrap offers the perfect solution for insulating and protecting products that are exposed to sunlight for long periods of time.



FULL PROTECTION



for safely
transport...



PRINTED BUBBLE WRAP FILM

For applications in the advertising and security sector, printed adhesive tapes are laminated onto our bubble wrap according to customer requirements. Printed films are ideal for individual design and offer the ideal solution for company identification and product labeling.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters



www.drpack.com.tr

We Always
Strive
for the Better

ANTISTATIC BUBBLE WRAP FILM



FULL PROTECTION

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters

Used primarily in the electronics industry, this additive protects high-value items, such as electronic components such as semiconductors and circuit boards, from electrostatic charge and provides cushioning and protection during transport and storage.



FIRE CLASSES B1 OR B2 BUBBLE WRAP FILM

FULL PROTECTION



The flame-retardant bubble wrap offers the perfect solution for insulating and protecting products in conjunction with increased flame retardancy.

TECHNICAL DETAILS


Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters



www.drpack.com.tr

We Always
Strive
for the Better

SELF-ADHESIVE BUBBLE WRAP FILM



FULL PROTECTION




TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters

Self-adhesive bubble wrap is mainly used in the automotive and glazing industries. Self-adhesive bubble wrap provides the best protection for vehicle bodies, window panes and furniture during manufacturing, transportation and storage.



FULL PROTECTION



SWIMMING POOL LINER

Bubble wrap is one of the best thermal insulation materials. The bubble wrap insulates the cold and thus achieves a higher heat value. Furthermore, the film can reduce algae formation.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters



www.drpack.com.tr

We Always
Strive
for the Better

POLYETHYLENE FOAM SHEET

FULL PROTECTION

for safely
transport...



Our solutions with foam films are made from uncrosslinked CFC/HCFC-free foamed films made of polyethylene (PE-LD). In order to meet special technical requirements, PE foam films can be equipped with flame retardants, UV stabilizers and antistatic agents. On request and for certain quantities, PE foam can also be colored if desired.

TECHNICAL DETAILS

Thickness of the film	: 1.0 / 1.5 / 2.0 / 3.0 / 4.0 / 5.0
Bulk density (kg/m ³)	: approx. 20-22
Fire behavior (class)	: B3
Additional information	: In order to meet special technical requirements, PE foam films can be equipped with flame retardants, UV stabilizers and antistatic agents (minimum quantities on request).




www.drpack.com.tr

NON WOVEN BUBBLE WRAP FILM



FULL PROTECTION



TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 µm to 300 µm	Between 100 µm to 350 µm
Width	Between 15 to 200 cm	Between 15 cm to 200 cm
Length	Between 3 meters to 250 meters	Between 3 meters to 250 meters

This product combines the advantages of a velvety-soft fleece with the excellent protective effect of our bubble wrap. The combination offers significant advantages over standard bubble wrap: greater puncture resistance; increased tear resistance; moisture absorption; velvety-soft surface protection.





15



FULL PROTECTION



ROLLS

We offer you our air cushion Tubes in different film qualities.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



www.drpack.com.tr

We Always
Strive
for the Better

BAGS MAILING BAGS



We offer you our bubble wrap bags and bags (mailing bags) in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!




FULL PROTECTION



for safely
transport...



BOX HOODS BUBBLE WRAP BOXES



We offer you our bubble wrap boxes in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



www.drpack.com.tr

We Always
Strive
for the Better

FURNITURE COVERS



for safely
transport...

FULL PROTECTION



We offer you our bubble wrap furniture covers in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



FULL PROTECTION



for safely
transport...



SHORT ROLLS

We offer you our air cushion short rolls in different film qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



www.drpack.com.tr

We Always
Strive
for the Better

CUTTING ASSEMBLY



We offer you our bubble wrap cuts in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



FULL PROTECTION



for safely
transport...



THERMAL HOODS

We offer you our bubble wrap thermal hoods in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



www.drpack.com.tr

We Always
Strive
for the Better



Bubble Wrap Products Production And Marketing



Mansuroglu Mah. 288/4 5k. A
No: 9 /1 İç Kapı No: 61
Bayraklı/ İzmir



info@drpack.com.tr



+90 532 734 15 57



www.drpack.com.tr

We Always
Strive
for the Better